

PRODUCT-DETAILS

PM592-ETH-XC

Processor module. Memory 4MB. Interfaces: Ethernet, 2x RS232/485, FBP. 4GB Flashdisk. Display (PM592-ETH-XC)



General Information

Extended Product Type	PM592-ETH-XC
Product ID	1SAP350200R0271
ABB Type Designation	PM592-ETH-XC
EAN	4016779837262
Catalog Description	Processor module. Memory 4MB. Interfaces: Ethernet, 2x RS232/485, FBP. 4GB Flashdisk. Display (PM592-ETH-XC)
Long Description	PM592-ETH-XC: AC500 Processor module. Memory 4MB. Interfaces: Ethernet, 2x RS232/485, FBP. 4GB Flashdisk. Display. eXtreme Conditions

Ordering

Country of Origin	Germany (DE) Finland (FI)
CN8	85389091
Invoice Description	Processor module. Memory 4MB. Interfaces: Ethernet, 2x RS232/485, FBP. 4GB Flashdisk. Display (PM592-ETH-XC)
Made To Order	No
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Selling Unit of Measure	piece

Dimensions

Product Net Weight	0.155 kg
Product Net Depth / Length	62 mm
Product Net Height	76 mm
Product Net Width	67.5 mm
Gross Weight	0.179 kg
Package Level 1 Depth / Length	84 mm
Package Level 1 Height	72 mm
Package Level 1 Width	71 mm
Package Level 1 Units	1 carton

Technical

Function	Memory 4MB. Interfaces: Ethernet, 2x RS232/485, FBP. 4GB Flashdisk Display
Number of Hardware Interfaces	Industrial Ethernet 1 Other 2 Parallel 0 RS-232 0 RS-422 0 RS-485 0 Serial TTY 0 USB 0 Wireless 0
Memory Size	9728 kB
Memory Type User Data	RAM
Controller Processing Time	0.000002 ms
Number of Digital Configurable I/Os	0
Degree of Protection	IP20
Supply Voltage	20.4 ... 28.8 V DC
Ambient Air Temperature	Operation -30...+70 °C Storage -40...+85 °C

Additional Information

Product Main Type	PM592-ETH
Product Name	Distributed Automation PLCs

Classifications

eClass	27-24-22-07
EPLAN Catalog Tree	Electrical engineering / PLC / General
ETIM 8	EC000236 - PLC CPU-module
UNSPSC	32151705

Environmental

SCIP	59c8de64-fb13-4084-9c60-ebb09758905f Germany (DE)
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

PLC Automation → Programmable Logic Controllers PLCs → AC500-XC → CPUs

